

MONESSEN

PRODUCT SPECIFICATIONS BDV300C DIRECT VENT



BDV300C

GLASS VIEWING AREA

486 Square Inches

TECHNICAL INFORMATION





Max. Btu Input - 21,000 BTU/HR
 Ignition System - Standing Pilot or Electronic Control - Millivolt
 Gas Type - Natural or LP
 Flue Type - Simpson Dura-Vent 4" x 6-5/8" Direct Vent
 Termination - Rear/Top Vent Convertible
 Clearance on Flue for Interior - 3" Top 1" Bottom and Sides
 Clearance on Flue for Outside Wall - 1"
 Clearance on Fireplace - 1/2"
 CSA Design Certified

FACTORY INSTALLED OPTIONS

Variable Thermostat Controlled Forced Air Blower (160 cfm) - BT
 Cottage Clay Firebrick - DVF
 Polished Brass Louvers - L

FIELD INSTALLED ACCESSORIES

Variable Thermostat Controlled Forced Air Blower (160 cfm) - BLOT
 Cottage Clay Firebrick
 Cottage Red Firebrick
 Louvers - Polished Brass, Pewter
 Curved Trim - Brass, Pewter, Black
 Medium Trim Kit - Brass, Pewter, Black
 Mesh Glass Cover
 Remote Controls & Thermostats
 Wood Cabinet Surrounds
 Designer Facings



To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. 6/06

MONESSEN

PRODUCT SPECIFICATIONS BDV500C DIRECT VENT



BDV500C

GLASS VIEWING AREA

672 Square Inches

TECHNICAL INFORMATION


Max. Btu Input - 26,000 BTU/HR
 Ignition System - Standing Pilot or Electronic
 Control - Millivolt
 Gas Type - Natural or LP
 Flue Type - Simpson Dura-Vent 4" x 6-5/8"
 Direct Vent
 Termination - Rear/Top Vent Convertible
 Clearance on Flue for Interior - 3" Top 1" Bottom
 and Sides
 Clearance on Flue for Outside Wall - 1"
 Clearance on Fireplace - 1/2"
 CSA Design Certified

FACTORY INSTALLED OPTIONS

Variable Thermostat Controlled Forced Air Blower
 (160 cfm) - BT
 Cottage Clay Firebrick - DVF
 Polished Brass Louvers - L

FIELD INSTALLED ACCESSORIES

Variable Thermostat Controlled Forced Air Blower
 (160 cfm) - BLOT
 Cottage Clay Firebrick
 Cottage Red Firebrick
 Louvers - Polished Brass, Pewter
 Curved Trim - Brass, Pewter, Black
 Medium Trim Kit - Brass, Pewter, Black
 Mesh Glass Cover
 Remote Controls & Thermostats
 Wood Cabinet Surrounds
 Designer Facings



To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. 6/06

MONESSEN

PRODUCT SPECIFICATIONS BDV600C DIRECT VENT



BDV600C

GLASS VIEWING AREA

795 Square Inches

TECHNICAL INFORMATION

Max. Btu Input - 26,000 BTU/HR

Ignition System - Standing Pilot or Electronic

Control - Millivolt

Gas Type - Natural or LP

Flue Type - Simpson Dura-Vent 4" x 6-5/8"
Direct Vent

Termination - Rear/Top Vent Convertible

Clearance on Flue for Interior - 3" Top 1" Bottom
and Sides

Clearance on Flue for Outside Wall - 1"

Clearance on Fireplace - 1/2"

CSA Design Certified

FACTORY INSTALLED OPTIONS

Variable Thermostat Controlled Forced Air Blower
(160 cfm) - BT

Cottage Clay Firebrick - DVF

Polished Brass Louvers - L

FIELD INSTALLED ACCESSORIES

Variable Thermostat Controlled Forced Air Blower
(160 cfm) - BLOT

Cottage Clay Firebrick

Cottage Red Firebrick

Louvers - Polished Brass, Pewter

Curved Trim - Brass, Pewter, Black





Medium Trim Kit - Brass, Pewter, Black

Mesh Glass Cover

Remote Controls & Thermostats

Wood Cabinet Surrounds

Designer Facings



To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. 6/06